

References

- Beck, B. F. (1978). Color differentiation in “Fried egg” stalagmites. *Journal of Sedimentary Research*, 48(3), 821–824.
<https://doi.org/10.1306/212f7577-2b24-11d7-8648000102c1865d>
- Borsato, A., Frisia, S., Fairchild, I. J., Somogyi, A., & Susini, J. (2007). Trace element distribution in annual stalagmite laminae mapped by micrometer-resolution X-ray fluorescence: Implications for incorporation of environmentally significant species. *Geochimica et Cosmochimica Acta*, 71(6), 1494–1512.
<https://doi.org/10.1016/j.gca.2006.12.016>
- Brennan, E., & White, W. (2013). Luminescence of speleothems: A comparison of sources and environments. *Journal of Cave and Karst Studies*, 75(3), 211–217.
<https://doi.org/10.4311/2012es0280>
- Campa-Bousoño, C., García-Pérez, Á., Moreno, A., Iglesias, M., Cheng, H., Edwards, R. L., & Stoll, H. (2021). Continuous color model as a tool to improve speleothem age model development. *International Journal of Speleology*, 50(3), 313–326.
<https://doi.org/10.5038/1827-806x.50.3.2389>
- Culková, E., Bellová, R., Littva, J., Bella, P., & Tomčík, P. (2025). Detection of copper in blue-green stalactites using a bare boron-doped diamond electrode: Clean and Sustainable Sensing Platform for cave samples analysis. *Microchemical Journal*, 218, 115806. <https://doi.org/10.1016/j.microc.2025.115806>
- Finné, M., Kylander, M., Boyd, M., Sundqvist, H., & Löwemark, L. (2015). Can XRF scanning of speleothems be used as a non-destructive method to identify paleoflood events in caves? *International Journal of Speleology*, 44(1), 17–23.
<https://doi.org/10.5038/1827-806x.44.1.2>
- Hardeman, W. D., Miller, R. A., & Swingle, G. D. (1966). *Geologic map of Tennessee*. Map. Nashville: State of Tennessee, Department of Conservation, Division of Geology.
- Hill, C., & Forti, P. (1995). The classification of Cave Minerals and Speleothems. *International Journal of Speleology*, 24(1/4), 77–82.
<https://doi.org/10.5038/1827-806x.24.1.5>
- Hill, C. A., & Forti, P. (1997). *Cave Minerals of the World* (2nd ed.). Huntsville, Alabama: National Speleological Society Inc.
- Jeong, G. Y., Kim, S. J., & Chang, S. J. (2003). Black carbon pollution of speleothems by fine urban aerosols in Tourist Caves. *American Mineralogist*, 88(11–12), 1872–1878. <https://doi.org/10.2138/am-2003-11-1230>

- Lemière, B. (2018). A review of pXRF (field portable X-ray fluorescence) applications for applied geochemistry. *Journal of Geochemical Exploration*, 188, 350–363. <https://doi.org/10.1016/j.gexplo.2018.02.006>
- MacGregor, C. L. V., Hellstrom, J., Woodhead, J., Drysdale, R., & Eberhard, R. (2021). Low impact sampling of speleothems – reconciling scientific study with cave conservation. *International Journal of Speleology*, 51(1), 1–11. <https://doi.org/10.5038/1827-806x.51.1.2406>
- Martín-García, R., Alonso-Zarza, A. M., Martín-Pérez, A., Schröder-Ritzrau, A., & Ludwig, T. (2014). Relationships between colour and diagenesis in the aragonite-calcite speleothems in Basajaún etxea cave, Spain. *Sedimentary Geology*, 312, 63–75. <https://doi.org/10.1016/j.sedgeo.2014.08.001>
- Martínez-Pillado, V., Yusta, I., Iriarte, E., Álvaro, A., Ortega, N., Aranburu, A., & Arsuaga, J. L. (2020). The red coloration of Goikoetxe Cave's Speleothems (Busturia, Spain): An indicator of paleoclimatic changes. *Quaternary International*, 566–567, 141–151. <https://doi.org/10.1016/j.quaint.2020.04.006>
- Perrin, C., Prestimonaco, L., Servelle, G., Tilhac, R., Maury, M., & Cabrol, P. (2014). Aragonite–calcite speleothems: Identifying original and diagenetic features. *Journal of Sedimentary Research*, 84(4), 245–269. <https://doi.org/10.2110/jsr.2014.17>
- SAWŁOWICZ, Z., PRZYBYŁO, J., & BORON, K. (2014). Colourful speleothems in the Wieliczka Salt Mine. *Geological Quarterly*. <https://doi.org/10.7306/gq.1155>
- Smailer, S. M., & White, W. B. (2013). The luminescent humic substances in Speleothems. *Applied Geochemistry*, 36, 132–139. <https://doi.org/10.1016/j.apgeochem.2013.06.002>
- Turner, K. (2002). Chromophores Producing Blue Speleothems at Cliefden, NSW. *Helictite*, 38(1), 3–6.
- van Beynen, P., Bourbonniere, R., Ford, D., & Schwarcz, H. (2001). Causes of colour and fluorescence in speleothems. *Chemical Geology*, 175(3–4), 319–341. [https://doi.org/10.1016/S0009-2541\(00\)00343-0](https://doi.org/10.1016/S0009-2541(00)00343-0)
- Verheyden, S. (2004). Trace elements in speleothems. A short review of the state of the art. *International Journal of Speleology*, 33(1/4), 95–101. <https://doi.org/10.5038/1827-806x.33.1.9>
- Vlieghe, M., Rochez, G., Pire-Stephenne, S., Storme, J.-Y., Dekoninck, A., Vanbrabant, Y., Namur, O., Zhang, Y., Van Ham-Meert, A., Donnadieu, J.-P., Berbigé, M., Hasbroucq, J.-L., & Yans, J. (2023). Ni-rich mineral nepouite explains the exceptional green color of speleothems. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-41977-7>

Vlieghe, M., Rochez, G., Pire-Stephenne, S., Felten, A., Dechamps, M., Mouchet, S. R., Cecchet, F., Bruguier, O., Galéra, J.-L., Lima-Mendez, G., Lliros Dupré, M., & Yans, J. (2025). Polymetallic interactions of Zn-Pb-Cu in blue/green-colored speleothems from Malaval Cave (France). *Geochemistry*, 85(3), 126285.
<https://doi.org/10.1016/j.chemer.2025.126285>

Vlieghe, M., Wouters, J., Fanuel, G., Drion du Chapois, J.-F., Gallez, A., Pire-Stephenne, S., Rochez, G., & Yans, J. (2025). Non-destructive characterization of variously colored gypsum and aragonite/calcite speleothems from the CIGALÈRE cave (Ariège, France). *International Journal of Speleology*, 55(1).
<https://doi.org/10.5038/1827-806X.ijs2564>

White, W. B., Culver, D. C., & Pipan, T. (2019). *Encyclopedia of Caves*. Academic Press.